



LAND



SEA



AIR

# HORUS422A

2U 19" RUGGED RACKMOUNT 2A WITH  
INTEL. CORE I7-6700TE 12 BAYS 2.5"  
SSD/HDD, RAID SUPPORTED,  
OPERATING TEMPERATURE  
5~+50°C COMPUTER



## POWER AUTOMATION COMPUTER

- Intel® 6th Gen. Core i7-6700TE
- 4 x DDR4 XR-DIMM up to 64GB
- RocketRAID 840C RAID Card
- 4xRJ45 LAN, 6xUSB, 1xRS232 Console
- 12 x 2.5" Easy swap SSD/HDD Tray
- Extended Temperature 5~+50°C



# Specifications

## SYSTEM

CPU	Intel® Core i7-6700TE Processor
Memory type	4 x DDR4 XR-DIMM up to 64GB
Expansion slot	4 x mPCIe slot (two supported with mSATA) 1 x PCIe x4 slot
RAID Function	RocketRAID 840C RAID Card, support RAID 0,1,5,6,10,50,JBOD
Storage Device	12 x 2.5" (7mm) Easy swap HDD/SSD Tray

## FRONT I/O

USB	2 x USB 2.0
Console	1 x DB9 Console port
2.5" SSD/HDD Tray	12 (7mm height SSD/HDD only)
Power button	1 x System On/Off, 1 x System FAN On/Off
Indicator LED	1 x Power LED / 1 x HDD LED

## REAR I/O

USB	4 x USB 3.0
Gigabit Ethernet	4 x RJ45
Display	1 x DisplayPort 1 x HDM
AC inlet	IEC C14 AC inlet

## MECHANICAL AND ENVIRONMENT

Power Requirement	AC to DC 100-240V 400W FLEX ATX Switch Power Supply with internal fan
Weight	13.12kg(28.92lbs)
Dimension	430x396x88mm (WxDxH)
Operating Temperature	5 to 50°C
Storage Temperature	-20 to 70°C
Relative Humidity	5% to 95%, non-condensing

## Ordering Information

HORUS422A

Rugged Rackmount 2U 19" Rugged Rackmount with Intel. Core i7-6700TE, 12 Bays 2.5" SSD/HDD, RAID supported, Operating Temperature 5~+50°C

# Dimension

