

QuMax Omni for Robustel LG5100 LoRa

INTEGRATED MULTI-BAND LTE OMNI ANTENNA + LORA ANTENNA + PLACE TO INSTALL ROBUSTEL LG5100 (ALL-IN-ONE)

QuMax Omni all-in-one antenna for Robustel LG5100 gateway is a perfect outdoor device for mobile and fixed installations like industrial, public, CCTV, hotspots, yachts, boats, campers, RV etc. It has embedded omni LTE and LoRa antenna. If you use LG5100 with QuMax Omni antenna, you get an integrated complete solution with embedded gateway and multi band antennas in one enclosure.

























MOUNTING SYSTEM WITH TWO PLANES, 60 DEGREES REGULATION



ANTENNA PERFECTLY MATCHED WITH THE ROBUSTEL LG5100



ALL ANTENNAS AND ROBUSTEL GATEWAY INTEGRATED IN ONE ENCLOSURE







(* LTE ANTENNA SPECIFICATION

FREQUENCY

694 - 960 MHz

1.7 - 2.2 GHz

2.5 - 2.7 GHz

GAIN

694 - 960 MHz: 2 dBi

1.7 - 2.2 GHz: 2 dBi

2.5 - 2.7 GHz: 3 dBi

SUPPORTED LTE/5G BANDS

1, 2, 3, 4, 5, 7, 8, 9, 10, 12, 13, 14, 17, 18, 19, 20, 25, 26, 27, 28, 29, 33, 34, 35, 36, 37, 38, 39, 44, 65, 66, 67, 68, 69, 85, 103, n80, n81, n82, n83,

n84, n86, n89, n95, n98, n100, n101, n256

VSWR

<1.50, max <2.50

BEAMWIDTH

360°/25° ±5°

POLARIZATION

Vertical

IMPEDANCE

50 Ω

(LORA ANTENNA SPECIFICATION

FREQUENCY

840-940 MHz (EU868, IN865, RU864, US915, AU915, AS923, KR920)

GAIN

3 dBi

VSWR

<1.20, max <2.00

BEAMWIDTH

360°/70° ±10°

POLARIZATION

Vertical

IMPEDANCE

50 Ω

FRONT TO BACK


>17 dB



(MECHANICAL SPECIFICATION

MATERIALS	BS, aluminum, PTFE, Fiberglass
INGRESS PROTECTION	IP67
CONNECTOR TYPE	RJ45
DIMENSIONS	272 x 276 x 96 mm 10.71 x 10.87 x 3.78 inch
WEIGHT	1.8 kg 3.97 lbs
OPERATING TEMPERATURE	From -40°C to 75°C From -40°F to 167°F
MAST DIAMETER	25-60mm 0.98-2.36 inch

(* FREQUENCY BANDS






LTE / 4G


2400 2700 7 38 69 MHz MHz



LTE VSWR




LORA VSWR






LTE Gain




LORA Gain




VERSION / 2.15 WWW.QUWIRELESS.COM PAGE / 5



LTE From 700MHz to 900MHz




LTE From 1.71GHz to 2.17GHz






LTE From 2,5GHz to 2,7GHz




LORA 900MHz





(* DIMENSIONS





Sales email: sales@quwireless.com

Support email: support@quwireless.com **Website:** www.quwireless.com

WWW.QUWIRELESS.COM

Tel: +48 513 900 416



Address: Wireless Instruments Sp. z o.o., ul. Kościuszki 27, 52-116 Iwiny, Poland